VALENA™

ELECTRICAL WIRING ACCESSORIES



PLUGGED INTO REAL LIFE

THE GLOBAL SPECIALIST IN ELECTRICAL
AND DIGITAL BUILDING INFRASTRUCTURES

legrand®

VALENA™

MADE FOR CREATIVITY

With Cubist Alu or Brushed Alu Silver, discover new creative harmonies and sensory designs. These Valena finishes bring something special and a touch of French style to any interior. Embodying wealth and durability, Valena retains its original solid values, with classic finishes in contemporary designs.



Cubist Alu

Brushed Alu / Silver



Alu | Alu/ Silver | Black/ Silver | Dark Wood/ Silver

VALENA™

MADE FOR STYLE

With the new Baroque Mat Gold, Tanned Wood and Mat Gold finishes, update your décor with harmonious French style. Both sober and original, from classic to baroque, they introduce an air of refinement and elegance.



Baroque Mat Gold

Mat Gold / Gold

Tanned Wood



Ivory

Ivory / Gold

MADE FOR FREEDOM


With classic White, Light Pearl and Pied de poule, Valena has expanded its range so you can create a harmonious new palette. White in all its splendour is used for new combinations and original patterns, giving more scope for creative design. Never before has white offered you so many different nuances and so much freedom.



Pied de poule



Light pearl



White White / Crystal White / Silver

VALENA™

CONTEMPORARY FINISHES TO SUIT ALL YOUR PROJECTS

ALUMINIUM


Cubist Alu


Brushed Alu / Silver


Alu


Alu / Silver


Black / Silver


Dark Wood / Silver

IVOIRE


Baroque Mat Gold


Mat Gold / Gold


Tanned Wood


Ivory



Ivory / Gold

BLANC


Pied de poule


Light pearl


White



White / Crystal


White / Silver


A SAFE, RELIABLE MECHANISM
PROVEN IN THE FIELD

VALENA CONTROL UNITS AND SOCKETS WITH SCREWLESS TERMINALS ARE QUICK AND EFFICIENT .
THE Y MAKE YOUR LIFE EASIER , IN COMPLETE SAFET Y.

CONTROL UNITS WITH SCREWLESS TERMINALS



SOCKETS WITH SCREWLESS TERMINALS



New screwless terminals for sockets.

NEW PRODUCT

THINKING GREEN?
VALENA IS THE OBVIOUS CHOICE

UP TO
30%
ENERGY SAVINGS
Conforming to standard EN 15 193. Example based on an automatic switch with average daylight penetration.



Push control dimmer
For ON-OFF control and dimming lights: custom lighting to suit your wishes.



Thermostat
For setting the temperature in each room and improving your well-being.



Automatic switch
For switching lights on/off automatically for maximum energy savings.

VALENA™

FEEL COMFORTABLE IN YOUR HOME



NO NEED TO CHOOSE BETWEEN STYLE, DESIGN, RELIABILITY OR SAFETY - VALENA BRINGS ALL THESE TO YOUR HOME.

THE ASSURANCE OF BEING IN A SAFE PLACE



Tuner with IP44 flap cover
For choosing your music even in damp rooms.



IP44 socket outlet
For safe connections in damp places.



Shuttered socket outlet
To keep all your family safe, even the little ones.

THE SATISFACTION OF A COMFORTABLE INTERIOR



Push control dimmer
For ON-OFF control and dimming lights: custom lighting to suit your wishes.



Thermostat
For setting the temperature in each room and improving your well-being.



Roller shutter
Roller shutter control.


THE PLEASURE OF SIMPLE COMMUNICATION



Dual USB charger socket
For charging mobile devices such as smartphones, tablets, MP3/MP4 players, etc.



HDMI socket
For transmission of high-definition digital audio and video streams between a source (HD-DVD or Blu-Ray drive, etc) and a compatible receiver (plasma, LCD, etc).



Loudspeaker
For playing music in every room.



RJ45-RJ11 socket
For easy, secure access to data, internet and telephone networks in the minimum space.

VALENA™

CONNECTIVITY AND EFFICIENCY

FUNCTIONAL VALENA SOLUTIONS ADAPT SEAMLESSLY TO EACH OF YOUR PROJECTS.

SOLUTIONS FOR CREATING THE RIGHT ATMOSPHERE



Double-pole switch
For extra safety whenever switching lights on and off.



Automatic switch with override
For switching lights on/off automatically for maximum energy savings.



Thermostat
For setting the temperature in each area individually.

SOLUTIONS FOR ALL YOUR CONNECTIONS



HD15 with jack
For VGA to UXGA connection of a screen, video projector, etc. and also the stereo connection from a portable source.




Tamperproof socket
For connecting a particular device safely and exclusively.



RJ45 and RJ11 sockets
For easy, secure access to data, internet and telephone networks in the minimum space.

Dual USB charger socket
For charging mobile devices such as smartphones, tablets, MP3/MP4 players, etc.



VALENA™



PEACE OF MIND
AT YOUR HOTEL

VALENA LIGHTING CONTROLS AND CONNECTIONS BRING BOTH AESTHETICS AND MODERNITY TO EVERY ROOM IN YOUR ESTABLISHMENT.

PEACE OF MIND, EVEN IN THE BATHROOM



IP44 socket outlet
For safe connections in damp places.



Tuner with IP44 flap cover
For choosing your music even in damp rooms.



IP44 2-gang switch
For lighting controls in damp places.

legrand®

COMFORT THAT COMBINES SAFETY



Keycard switch
For lower energy consumption and lower bills.



2-gang illuminated switch
For finding the switch easily, even in the dark.

CONNECTIONS TO THE OUTSIDE WORLD



Dual USB charger socket
For charging mobile devices such as smartphones, tablets, MP3/MP4 players, etc.



RJ45 and RJ11 sockets
For easy, secure access to data, internet and telephone networks in the minimum space.



Double socket
For a maximum number of connections in the minimum space.



7 743 06 + 7 703 11



7 744 06 + 7 704 20



7 701 05 + 7 703 31



7 742 13 + 7 704 91



7 741 01 + 7 741 51

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465)
Screw or claw mounting

Pack	Cat.Nos	Switches 10 AX - 250 V~
		Automatic terminals
		One-way switch
10	7 743 01	Ivory
10	7 744 01	White
10	7 701 01	Brilliant Aluminium
		Two-way switch
10	7 743 06	Ivory
10	7 744 06	White
10	7 701 06	Brilliant Aluminium
		Intermediate switch
10	7 743 07	Ivory
10	7 744 07	White
10	7 701 07	Brilliant Aluminium
		Illuminated switch
		Supplied with 0.5 mA - 230 V green lamp
		Cat.No 7 758 97
10	7 743 10	Ivory
10	7 744 10	White
10	7 701 10	Brilliant Aluminium
		Two-way switch with indicator
		Supplied with 1 mA - 230 V orange lamp
		Cat.No 7 758 98
10	7 743 25	Ivory
10	7 744 25	White
10	7 701 25	Brilliant Aluminium
		Illuminated two-way switch
		Supplied with 0.5 mA - 230 V green lamp
		Cat.No 7 758 97
10	7 743 26	Ivory
10	7 744 26	White
10	7 701 26	Brilliant Aluminium
		Illuminated intermediate switch
		Supplied with 0.5 mA - 230 V green lamp
		Cat.No 7 758 97
10	7 743 48	Ivory
10	7 744 48	White
10	7 701 48	Brilliant Aluminium
		2 gang one-way switch
10	7 743 05	Ivory
10	7 744 05	White
10	7 701 05	Brilliant Aluminium
		2 gang two-way switch
10	7 743 08	Ivory
10	7 744 08	White
10	7 701 08	Brilliant Aluminium
		2 gang two-way switch with one indicator
		Supplied with 1 mA - 230 V orange lamp
		Cat.No 7 758 98
10	7 743 45	Ivory
10	7 744 45	White
10	7 701 45	Brilliant Aluminium
		Illuminated 2 gang one-way switch
		Supplied with 1 mA - 230 V green lamp
		Cat.No 7 758 97
10	7 743 28	Ivory
10	7 744 28	White
10	7 701 28	Brilliant Aluminium

Pack	Cat.Nos	Switches 10 AX - 250 V~ (continued)
		2 gang one-way switch with two indicators
		Supplied with 1 mA - 230 V orange lamp
		Cat.No 7 758 98
10	7 741 13	Ivory
10	7 742 13	White
10	7 702 13	Brilliant Aluminium
		Illuminated 2 gang two-way switch
		Supplied with 0.5 mA - 230 V green lamp
		Cat.No 7 758 97
10	7 741 12	Ivory
10	7 742 12	White
10	7 702 12	Brilliant Aluminium
		Double pole switch
10	7 743 02	Ivory
10	7 744 02	White
10	7 701 02	Brilliant Aluminium
		Double pole switch with indicator
		Supplied with 1 mA - 230 V orange lamp
		Cat.No 7 758 98
10	7 743 49	Ivory
10	7 744 49	White
10	7 701 49	Brilliant Aluminium

Pack	Cat.Nos	Switches 10 AX - 250 V~ - IP 44
		Automatic terminals
		One-way switch
10	7 741 01	Ivory
10	7 742 01	White
		Two-way switch
10	7 741 06	Ivory
10	7 742 06	White
		Intermediate switch
10	7 741 97	Ivory
10	7 700 97	White
		2 gang two-way switch
10	7 741 98	Ivory
10	7 700 98	White
		Double pole switch
10	7 741 92	Ivory
10	7 700 92	White

Valena™

switches (continued)



7 741 04 + 7 703 01



7 742 14 + 7 704 71

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	Switches 16 AX - 250 V~
		Automatic terminals
		Two-way switch
10	7 741 05	Ivory
10	7 742 05	White
10	7 702 05	Brilliant Aluminium
		Illuminated two-way switch
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7 758 97
10	7 741 03	Ivory
10	7 742 03	White
10	7 702 03	Brilliant Aluminium
		Double pole switch
10	7 741 04	Ivory
10	7 742 04	White
10	7 702 04	Brilliant Aluminium
		Double pole switch with indicator
		Supplied with 1 mA - 230 V orange lamp Cat.No 7 758 98
10	7 741 14	Ivory
10	7 742 14	White
10	7 702 14	Brilliant Aluminium
		3-pole switches 10 A - 400 V~
		Automatic terminals
		For fluorescent tubes
10	7 743 03	Ivory
10	7 744 03	White
10	7 701 03	Brilliant Aluminium

Valena™

push-buttons



7 743 12 + 7 743 51



7 701 13 + 7 703 51



7 744 19
+ 7 744 51

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
		Automatic terminals
		Push-button
10	7 743 11	Ivory
10	7 744 11	White
10	7 701 11	Brilliant Aluminium
		Push-button with lamp symbol
10	7 743 12	Ivory
10	7 744 12	White
10	7 701 12	Brilliant Aluminium
		Push-button with bell symbol
10	7 741 16	Ivory
10	7 742 16	White
10	7 702 16	Brilliant Aluminium
		Illuminated push-button with lamp symbol
		Supplied with 1 mA - 230 V green lamp Cat.No 7 758 90
10	7 743 13	Ivory
10	7 744 13	White
10	7 701 13	Brilliant Aluminium
		Illuminated push-button with bell symbol
		Supplied with 1 mA - 230 V green lamp Cat.No 7 758 90
10	7 741 15	Ivory
10	7 742 15	White
10	7 702 15	Brilliant Aluminium
		Double changeover push-button
1	7 741 18	Ivory
1	7 742 18	White
1	7 702 18	Brilliant Aluminium
		Changeover push-button for pull cord control
1	7 743 19	Ivory
1	7 744 19	White
1	7 701 19	Brilliant Aluminium
		Push-buttons 10 A - 250 V~ - IP 44
		Push-button with bell symbol
10	7 741 99	Ivory
10	7 700 99	White
		Push-buttons 10 A - 12 V~
		Automatic terminals
		Illuminated push-button with bell symbol
		Supplied with 15 mA - 8-12 V green lamp Cat.No 7 758 99
10	7 743 15	Ivory
10	7 744 15	White
10	7 701 15	Brilliant Aluminium
		Illuminated push-button with label-holder
		Supplied with 15 mA - 8-12 V green lamp Cat.No 7 758 99
10	7 741 17	Ivory
10	7 742 17	White
10	7 702 17	Brilliant Aluminium
		Accessory
10	0 898 05	Pull-cord accessory 1.5 m length

Valena™

automatic switches, dimmers



7 700 89 + 7 744 51



7 700 74 + 7 744 61

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	Automatic switches with movement detector
		230 V~ - 50/60 Hz Luminosity threshold: 3 to 1000 lux
		Standard 60-300 W for incandescent and halogen lamps 230 V~ Temporization: 6 seconds to 6 min. Can replace a switch without additional wiring Detection angle: 130°
1	7 741 28	Ivory
1	7 742 28	White
1	7 702 28	Brilliant Aluminium
		With override, with neutral 1000 W for incandescent and halogen lamps 230 V~ 500 VA ELV lamps with electronic or ferromagnetic transformers, fluorescent tubes and compact lamps 100 VA fans Temporization: 1 second to 16 min Detection angle: 180° Can be remotely controlled via non-illuminated push-button
1	7 741 89	Ivory
1	7 700 89	White
1	7 702 89	Brilliant Aluminium
		Dimmers 230 V~ - 50 Hz
		Rotary dimmer Push for On/Off function Rotate for light level adjustment 100-1000 W for incandescent and halogen lamps 230 V~ 1000 VA ELV lamps with ferromagnetic transformers
1	7 741 60	Ivory
1	7 700 60	White
1	7 702 60	Brilliant Aluminium
		Rotary adjustment and control 40-400 W for incandescent and halogen lamps 230 V~ 40-400 VA ELV lamps with ferromagnetic transformers
1	7 741 61	Ivory
1	7 700 61	White
1	7 702 61	Brilliant Aluminium
		Push-button dimmer - 40-400 W With an On/Off button and a separate + / - button for dimming 40-400 W for incandescent and halogen lamps 230 V~ 40-400 VA ELV halogen lamps with electronic and ferromagnetic transformers Can be remotely controlled via non-illuminated push-button or two-way switch
1	7 741 62	Ivory
1	7 700 62	White
1	7 702 62	Brilliant Aluminium
		Push-button dimmer - 40-600 W With an On/Off button and a separate + / - button for dimming 40-600 W for incandescent and halogen lamps 230 V~ 40-600 VA ELV halogen lamps with ferromagnetic transformers
1	7 741 74	Ivory
1	7 700 74	White
1	7 702 74	Brilliant Aluminium

Valena™

roller blinds control, keycard for hotel rooms and thermostats



7 743 04 + 7 703 11



7 741 35 + 7 700 20



7 741 26 + 7 743 51

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	Roller blinds control 10 A - 250 V~
		Automatic terminals
		Switch with mechanical interlock
1	7 743 04	Ivory
1	7 744 04	White
1	7 701 04	Brilliant Aluminium
		Push-button with electrical interlock
1	7 743 14	Ivory
1	7 744 14	White
1	7 701 14	Brilliant Aluminium
		Keycards for hotel rooms
		For energizing a circuit by inserting a card Example of use: hotel room power supply only when the guest is present 230 V~ - 50/60 Hz
		Standard Compatible with a smart card for hotel room max. width 54 mm
10	7 741 34	Ivory
10	7 742 34	White
10	7 702 34	Brilliant Aluminium
		With time delay Compatible with a smart card for hotel room max. width 54 mm or a key fob Cat.No 0 898 06 (p. 504) Aprox 30 sec. after card removal
1	7 741 35	Ivory
1	7 742 35	White
1	7 702 35	Brilliant Aluminium
		Thermostats
		Standard NO/NC contact to control heating or air-conditioning
1	7 741 26	Ivory
1	7 742 26	White
1	7 702 26	Brilliant Aluminium
		Comfort with switch Comfort/reduce, manual or automatic with auxiliary input 230 V~
1	7 741 27	Ivory
1	7 742 27	White
1	7 702 27	Brilliant Aluminium
		For floor heating system Comfort mode reduced with auxiliary input 230 V~ Supplied with floor sensor, length 20 m
1	7 741 91	Ivory
1	7 700 91	White
1	7 702 91	Brilliant Aluminium
		Thermostat probe
1	7 700 93	Length 20 m

Valena™

television sockets



7 701 36 + 7 703 91



7 744 32 + 7 744 51



7 743 29 + 7 703 01



7 743 42

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465)
Screw or claw mounting
For Hertzian and satellite installation (with individual demodulator)
DTT and HDTV compatible. Shielded sockets
TV: male connector (Ø9.5 mm)
R: female connector (Ø9.5 mm)
SAT: "F" type connector
Recommanded coaxial cable: 17/19 VATC

Pack	Cat.Nos	TV-R-SAT sockets
		TV: 5-68/120-862 MHz R: 87.5-108 MHz SAT: 550-2400 MHz
		Star socket - 1.5 dB
10	7 743 35	Ivory
10	7 744 35	White
10	7 701 35	Brilliant Aluminium
		Terminal socket - 10 dB
10	7 743 36	Ivory
10	7 744 36	White
10	7 701 36	Brilliant Aluminium
		Passthrough socket - 14 dB
10	7 743 37	Ivory
10	7 744 37	White
10	7 701 37	Brilliant Aluminium
		TV-R-SAT 2 cables - 1.5 dB
	N	Possible to add satellite on existing installation without connection, just need a second cable to the socket
10	7 704 10	White
10	7 741 10	Ivory
10	7 702 10	Brilliant Aluminium

Pack	Cat.Nos	TV-R central plates
		30 mm with screw for adaptation to local manufacturers such as DX Contera, Televes and Hirschmann
10	7 743 42	Ivory
10	7 744 42	White
10	7 701 42	Brilliant Aluminium

Pack	Cat.Nos	TV-R sockets
		TV: 5-68/120-862 MHz R: 87.5-108 MHz
		Star socket - 1.5 dB
10	7 743 32	Ivory
10	7 744 32	White
10	7 701 32	Brilliant Aluminium
		Terminal socket - 10 dB
10	7 743 33	Ivory
10	7 744 33	White
10	7 701 33	Brilliant Aluminium
		Passthrough socket - 14 dB
10	7 743 34	Ivory
10	7 744 34	White
10	7 701 34	Brilliant Aluminium

Pack	Cat.Nos	TV sockets
		TV: 0-2400 MHz
		Star socket - 1.5 dB
10	7 743 29	Ivory
10	7 744 29	White
10	7 701 29	Brilliant Aluminium
		Terminal socket - 10 dB
10	7 743 30	Ivory
10	7 744 30	White
10	7 701 30	Brilliant Aluminium
		Passthrough socket - 14 dB
10	7 743 31	Ivory
10	7 744 31	White
10	7 701 31	Brilliant Aluminium

Valena™

data sockets



7 741 44 + 7 743 51



7 702 39 + 7 703 71

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting
Fast connection sockets – no tool required
Contacts marked with double colour codes

Pack	Cat.Nos	Data sockets Cat. 6
		RJ 45 UTP - 1 outlet
10	7 741 46	Ivory
10	7 741 42	Ivory - without claws
10	7 742 46	White
10	7 742 42	White - without claws
10	7 702 46	Brilliant Aluminium
10	7 702 42	Brilliant Aluminium - without claws
		RJ 45 UTP - 2 outlets
10	7 741 47	Ivory
10	7 741 43	Ivory - without claws
10	7 742 47	White
10	7 742 43	White - without claws
10	7 702 47	Brilliant Aluminium
10	7 702 43	Brilliant Aluminium - without claws
		RJ 45 FTP - 1 outlet - without claws
10	7 741 32	Ivory
10	7 742 32	White
10	7 702 32	Brilliant Aluminium
		RJ 45 FTP - 2 outlets - without claws
10	7 741 33	Ivory
10	7 742 33	White
10	7 702 33	Brilliant Aluminium
		RJ 45 STP - 1 outlet - without claws
10	7 741 44	Ivory
10	7 742 44	White
10	7 702 44	Brilliant Aluminium
		RJ 45 STP - 2 outlets - without claws
10	7 741 45	Ivory
10	7 742 45	White
10	7 702 45	Brilliant Aluminium

		Data sockets Cat. 5e
		RJ 45 UTP - 1 outlet
10	7 741 30	Ivory
10	7 741 38	Ivory - without claws
10	7 742 30	White
10	7 742 38	White - without claws
10	7 702 30	Brilliant Aluminium
10	7 702 38	Brilliant Aluminium - without claws
		RJ 45 UTP - 2 outlets
10	7 741 31	Ivory
10	7 741 39	Ivory - without claws
10	7 742 31	White
10	7 742 39	White - without claws
10	7 702 31	Brilliant Aluminium
10	7 702 39	Brilliant Aluminium - without claws

Valena™

telephone sockets



7 744 38 + 7 744 51



7 702 80 + 7 703 31

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	Telephone sockets
		Sockets equipped with quick-fit 1/4 turn self-stripping connectors linkage
		RJ 11 - 4 contacts - 1 outlet
10	7 743 38	Ivory
10	7 744 38	White
10	7 701 38	Brilliant Aluminium
		RJ 11 - 4 contacts - 2 outlets
10	7 743 39	Ivory
10	7 744 39	White
10	7 701 39	Brilliant Aluminium
		RJ 45 - ISDN / Internet - 8 contacts
		1 output
1	7 743 41	Ivory
1	7 744 41	White
1	7 701 41	Brilliant Aluminium
		Twin socket RJ 45 Cat 6 UTP + RJ 11
		Without claws
10	7 741 80	Ivory
10	7 700 80	White
10	7 702 80	Brilliant Aluminium

Valena™

audio/video sockets




7 743 24 + 7 743 51



7 702 82 + 7 703 51

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465) - Screw or claw mounting

Pack	Cat.Nos	
		Loudspeaker sockets
		Equipped with DIN 41 529 standard connectors For 0.75 to 5 mm² cables Screw terminals
		Single loudspeaker socket
10	7 741 23	 Ivory
10	7 742 23	White
10	7 702 23	Brilliant Aluminium
		Double loudspeaker socket
10	7 743 24	 Ivory
10	7 744 24	White
10	7 701 24	Brilliant Aluminium
		Audio and video sockets
		Audio/video socket HDMI HDMI audio/video type A socket Used to transmit High-definition digital audio/video streams between a source (HD-DVD or Blu-Ray drive, games console, computer, etc) and a compatible receiver (TV, video projector)
1	7 741 85	 Ivory
1	7 700 85	White
1	7 702 85	Brilliant Aluminium
		Video socket HD 15 For the VGA, XGA or VESA connection of a PC monitor, TV, video projector
1	7 741 83	 Ivory
1	7 700 83	White
1	7 702 83	Brilliant Aluminium
		Triple RCA socket For the composite video and stereo audio connection of any amplifier, DVD drive, VCR type peripheral
1	7 741 84	 Ivory
1	7 700 84	White
1	7 702 84	Brilliant Aluminium
		HD 15 + 3.5 mm Jack sockets
1	7 741 82	 Ivory
1	7 700 82	White
1	7 702 82	Brilliant Aluminium

Valena™

equipment for audio/video sockets



0 517 20



0 517 22



0 779 30

Pack	Cat.Nos	
		Equipment cords
		For connecting a socket to a terminal
1	0 517 20	**HDMI 1.4 cord** Length 10 m For connecting an HDMI socket to the audio/video terminal (plasma screen, DVD drive, Home Cinema, games console, etc) For use at more than 10 m, use the HDMI Booster Cat.No 0 779 30
1	0 517 22	**HD 15 + 3.5 mm Jack cord** Length 2 m For connecting an HD 15 video socket and a 3.5 mm audio jack to a terminal (PC, video projector)
1	0 779 30	**HDMI booster** Used to extend an HDMI connection Consists of 2 female connectors and used as an addition to the HDMI cord (for example cord Cat.No 0 517 20) Does not need an external power supply
		Cables
		For connecting 2 sockets
1	0 327 80	**HDMI cable** Length 20 m For connecting HDMI sockets at a distance of up to 10 m
1	0 327 81	**VGA cable** Length 20 m For connecting full pin HD 15 sockets at a distance of up to 20 m

Valena™

socket outlets



7 743 16 + 7 743 51



7 744 21 + 7 744 51



7 743 27 + 7 701 51



7 702 11 + 7 703 71

Mechanisms supplied with cover plates, to be equipped with plates (p. 498-499)
Screw or claw mounting
IP 2 protection index
Terminals: 2.5 mm²

Pack	Cat.Nos	2P socket outlets 10/16 A - 250 V~
		Screw terminals
10	7 743 16	Ivory
10	7 744 16	White
10	7 701 16	Brilliant Aluminium
		German standard socket outlets 10/16 A - 250 V~
	N	**2P+E - automatic terminals with shutters**
10	7 741 22	Ivory
10	7 742 22	White
10	7 702 11	Brilliant Aluminium
		2P+E - screw terminals
10	7 743 20	Ivory
10	7 744 20	White
10	7 701 20	Brilliant Aluminium
		2P+E with shutters for child protection - screw terminals
10	7 743 21	Ivory
10	7 744 21	White
10	7 701 21	Brilliant Aluminium
		2P+E with flap - screw terminals
10	7 743 22	Ivory
10	7 744 22	White
10	7 701 22	Brilliant Aluminium
		2P+E with mechanical ejecting system for plug - screw terminals
5	7 743 95	Ivory
5	7 743 94	White
5	7 701 94	Brilliant Aluminium
		2P+E with coloured cover plate - screw terminals
10	7 743 27	Red with tamperproof
10	7 743 72	Green
10	7 743 73	Orange
		2P+E supplied complete With cover plate and plate
10	7 743 23	Ivory - screw terminals
10	7 741 19	Ivory - automatic terminals
10	7 744 23	White - screw terminals
10	7 742 19	White - automatic terminals
10	7 701 23	Brilliant Aluminium - screw terminals
10	7 702 19	Brilliant Aluminium - automatic terminals

Pack	Cat.Nos	German standard socket outlets 16 A - 250 V~ - IP 44
		2P+E with flap and shutters for child protection - screw terminals
10	7 741 20	Ivory
10	7 742 20	White
		2P+E key protected with flap - screw terminals
1	7 742 60	White Delivered with accessory Cat.No 7 759 99
		French standard socket outlets 10/16 A - 250 V~
		2P+E - screw terminals
10	7 743 98	Ivory
10	7 743 96	White
10	7 701 96	Brilliant Aluminium
		2P+E with shutters for child protection - screw terminals
10	7 743 99	Ivory
10	7 743 97	White
10	7 701 97	Brilliant Aluminium
		2P+E with red cover plate - screw terminals
10	7 700 90	Red with tamperproof
		French standard socket outlets 16 A - 250 V~ - IP 44
		2P+E with flap and shutters for child protection - screw terminals
10	7 741 21	Ivory
10	7 742 21	White

Valena™
USB chargers



7 704 70 + 7 744 51




0 803 99

Pack	Cat.Nos	USB chargers, 2 USB 1500 mA
		Conforms to standard IEC 62684-2011-01 For charging mobile phones, tablet PCs, smartphones, MP3 and MP4 players quickly Frees up a socket recess Consumption in passive mode < 0.1 W CLASS II SELV Conforms to the EEC directive on harmonisation of the charging standard for portable terminals and the reduction of mobile phone chargers For installation in flush-mounting box depth 40 mm minimum Tap-off connection possible on 2P+E socket Supplied cordless
1	N 7 704 70	 ○ White
1	7 741 70	● Ivory
1	7 702 70	● Brilliant Aluminium
10	0 803 99	**Support for smartphone**  Supplied with 60 cm USB/micro USB retractable cord For charging and synchronisation with PC Resistance > 7500 operations Fixing using screws or adhesive on all surfaces Has a non-slip coating to prevent phones falling off The phone's screen can be seen while charging


Average chargetime for a smartphone with a 1500 mA charger

Brand	Smartphone	Average chargetime 80 %	Average chargetime 100 %
RIM	Blackberry Torch 9810	01h01	01h23
Apple	iPhone 3GS	01h04	02h07
Apple	iPhone 4S	01h14	01h56
Apple	iPhone 5	01h14	02h20
Motorola	Defy - MB525 - Jordan	01h13	01h47
Nokia	Lumia 800 - Sea Ray	01h39	02h33
Samsung	Galaxy S III - 19300	01h47	02h43
Samsung	Galaxy S IV	02h00	02h59
Sony	XPERIA S - LT26i - Arc HD Nozomi	01h20	02h05
		average < 1h15	average < 2h


Application examples



Installed in the hall, the USB charger provides quick, easy to find, always available charging as soon as you get home (no more lost chargers cluttering up the house)



Installed beside the bed, the USB charger powers the mobile during the night without using a 2P+E socket



Installed near the PC, the USB charger frees up the USB ports on my terminal and avoids me having to start it up

Valena™

complete sockets outlets









7 743 71



2 x 7 742 02 + 7 742 07

Mechanisms supplied with cover plates
Screw or claw mounting

Pack	Cat.Nos	
		German standard double socket outlets 16 A - 250 V~
		Flush-mounting in 1 gang Ø60 mm boxes Supplied complete with cover plate and plate
		2 x 2P+E - screw terminals
5	7 743 70	 Ivory
5	7 744 00	○ White
5	7 701 00	Brilliant Aluminium
		2 x 2P+E with shutters for child protection
5	7 743 71	 Ivory - screw terminals
5	7 744 27	○ White - screw terminals
5	7 742 48	○ White - automatic terminals
5	7 701 27	Brilliant Aluminium - screw terminals
		French standard double socket outlets 16 A - 250 V~
		Flush-mounting in 1 gang Ø60 mm boxes Supplied complete with cover plate and plate
		2 x 2P+E - screw terminals
5	7 743 92	 Ivory
5	7 743 90	○ White
5	7 702 90	Brilliant Aluminium
		2 x 2P+E with shutters for child protection
5	7 743 93	 Ivory
5	7 743 91	○ White
5	7 701 91	Brilliant Aluminium
		Nordic countries socket outlets 16 A - 250 V~
		2 x 2P+E with shutters for child protection - automatic terminals
5	7 742 02	 ○ White
		Special plate
5	7 742 07	2 gang
		Special adaptor
10	7 742 10	 For single sockets, RJ 45 sockets and TV-R-SAT sockets

Valena™

accessories



7 743 47 + 7 743 51



7 744 50

Pack	Cat.Nos	
		Cable outlets
10	7 743 47	 Ivory
10	7 744 47	○ White
10	7 701 47	Brilliant Aluminium
		Blanking plates
10	7 743 46	 Ivory
10	7 744 46	○ White
10	7 701 46	Brilliant Aluminium
		Universal plates 46.5 mm
10	7 743 80	 Ivory
10	7 744 80	○ White
10	7 701 80	Brilliant Aluminium
		Weatherproof plates - IP 44
		Compatible with any non IP 44 mechanisms, for 1 gang installation only IP 44 plate with flap
10	7 743 50	 Ivory
10	7 744 50	○ White
10	7 701 50	Brilliant Aluminium
		Accessory
		Key protection for German standard socket outlet
1	7 759 99	 Accessory for key protection
		Mounting accessories
		Surface-mounting box
10	7 761 31	 Ivory
10	7 761 81	○ White
		Accessory for adapting cables and tubes
10	7 761 34	 Ivory
10	7 761 84	○ White
		Combination accessory
		For multiple vertical assemblies of surface boxes
10	7 761 35	 Ivory
10	7 761 85	○ White
		Replacement lamps
10	7 758 97	 0.5 mA - 230 V - Green
10	7 758 98	1 mA - 230 V - Orange
10	7 758 99	15 mA - 12 V~ - Green
10	7 758 90	 1 mA – 230 V - Green

Valena™

sound diffusion



7 700 70 + 7700 69 + 7701 52




7 741 67 + 7 741 68 + 7 743 52





7 700 71 + 7 701 51

Mechanisms supplied with cover plates, to be equipped with plates (p. 463-465)
Screw or claw mounting

Pack	Cat.Nos	Single zone sound diffusion
		Tuner
1	7 700 69	 Power supply 15 V⎓ Manual or automatic selection of stations 10-station memory Integrated aerial (adjustable reception sensitivity) On/off control Volume control Equipped with an auxiliary input for connecting an MP3 player or Discman (3.5 mm Jack socket), cord not supplied Compatible with 4/8 or 16 Ω Stereo or mono output Grey cover plate
		Power supply for tuner with integrated loudspeaker
1	7 700 70	 Used together with tuner Cat.No 7 700 69, it can distribute radio or the music source Loudspeaker power 1 W - 16 Ω Grey cover plate
		Power supply in false ceiling for tuner
1	0 673 22	 Power supply 230 V∿ Output 15 V⎓ - 3.5 W For use in Plexo box Cat.No 0 920 52


Pack	Cat.Nos	Multi-zone sound diffusion
		Source input with modular power supply
		Used to connect the main music source (Hi-Fi, computer, etc.) via Ø3.5 mm jack socket (cord not supplied) The source input powers local controls Cat.No 7 741 67 to distribute music in the rooms of a house (1 local control per room) Supplied with 15 V - 60 W modular power supply, size 4.5 DIN modules
1	7 741 66	 Ivory
1	7 700 66	White
1	7 702 66	Brilliant Aluminium
		Local control
		Equipped with an LCD screen, used to select the music source: main (Hi-Fi) or local (e.g.: MP3 player) via cord with Ø3.5 mm jack (not supplied) Stereo output 2 x 1.5 W Volume, balance, bass/treble and loudness controls Time display Integrated alarm clock function (by beep or music) General call function from all local controls with answer possible from the person called (microphone integrated in the product) Compatible with 4-8 or 16 Ω
1	7 741 67	 Ivory
1	7 700 67	White
1	7 702 67	Brilliant Aluminium

Pack	Cat.Nos	Multi-zone sound diffusion (continued)
		Tuner extension and intercom
		Used together with the local control and with no additional wiring, the extension can be used to distribute radio on one control unit Automatic or manual search Intercom function (call to one room or a set of rooms, call takes priority over music distribution) Baby monitoring function Simplified access to local control functions via dedicated switches
1	7 741 68	 Ivory
1	7 700 68	White
1	7 702 68	Brilliant Aluminium


Pack	Cat.Nos	Loudspeakers
		Flush-mounting loudspeaker
		Max. power 2 W - 16 Ω - 2"
1	7 741 65	 Ivory
1	7 700 65	White
1	7 700 71	Grey
		False ceiling mounting spot loudspeaker
1	0 673 27	 White Depth 27 mm Ø hole: 65 mm Visible depth: 11 mm Power: 2 W - 16 Ω - 2" Equipped with clips for attachment Use a Ø65 mm crown saw to cut the hole
		False ceiling mounting invisible loudspeaker
1	0 673 30	 For multi-zone sound distribution Can be connected with the 15 V - 60 W power supply supplied with source input Max. power 8 W Depth: 98 mm Supplied with adhesive and gluing template
		Standard flush-mounting loudspeaker
1	0 673 29	 White Power: 100 W - 8 Ω - 6.5" Ø hole: 198 mm Depth: 85 mm

Diffusion of a music source in one room in a house (for example the kitchen, bathroom, etc.)

With spot loudspeakers Cat.No 0 673 27 and power supply Cat.No 7 700 69 (stereo)




With power supply for tuner Cat.No 7 700 69 + integrated loudspeaker Cat.No 7 700 70 (mono)




Diffusion of a music source in all the rooms in a house

Diffusion of the main source or independent auxiliary (MP3 player) via local control Cat.Nos 7 741 67/7 700 67/7 702 67



Diffusion of the main source, the auxiliary (MP3 player) or independent FM radio, via local control Cat.Nos 7 741 67/7 700 67/7 702 67 and tuner extension Cat.Nos 7 741 68/7 700 68/7 702 68



VALENA™

Made in creativity, design and freedom


Cubist Alu


Brushed Alu/Silver


Alu


Alu/Silver


Black/Silver


Dark Wood / Silver


Pied de Poule


Light Pearl


White


White / Silver


White / Crystal


Baroque Matt Gold


Matt Gold



Tanned Wood


Ivory


Ivory/Gold


Upgrade your current installation


You can replace your existing white or ivory cover plate by an alluminium cover plate



Reversible 4 and 5 gangs plates


Can be transformed in vertical or horizontal plate by rotation of internal trim



Valena™

replacement of ivory or white cover plate by aluminium cover plate

UPGRADE YOUR CURRENT INSTALLATION



FUNCTIONS			ALUMINIUM COVER PLATES						
			For single control	For double control	For 2P+E German standard socket	For 2P+E German standard shuttered	For 2P+E French standard socket	For single R45 socket	For single TV socket
One-way switch 10 AX		7 744 01 7 743 01	7 702 51	-	-	-	-	-	-
Two-way switch 10 AX		7 744 06 7 743 06	7 702 51	-	-	-	-	-	-
Intermediate switch 10 AX		7 744 07 7 743 07	7 702 51	-	-	-	-	-	-
Push-button 10 A		7 744 11 7 743 11	7 702 51	-	-	-	-	-	-
Two-way switch 16 AX		7 742 05 7 741 05	7 702 51	-	-	-	-	-	-
2-gang one-way switch 10 AX		7 744 05 7 743 05	-	7 702 52	-	-	-	-	-
2-gang two-way switch 10 AX		7 744 08 7 743 08	-	7 702 52	-	-	-	-	-
Double changeover push-button 10 A		7 742 18 7 741 18	-	7 702 52	-	-	-	-	-
2P+E 16 A German standard Screw terminals		7 744 20 7 743 20	-	-	7 702 53	7 702 57	-	-	-
2P+E 16 A German standard Screw terminals with shutters		7 744 21 7 743 21	-	-	-	7 702 57	-	-	-
2P+E 16 A French standard Screw terminals		7 743 96 7 743 98	-	-	-	-	7 702 54	-	-
RJ 45 UTP Cat. 5e		7 742 30 7 741 30 7 742 38 7 741 38	-	-	-	-	-	7 702 55	-
RJ 45 UTP Cat. 6		7 742 46 7 741 46 7 742 42 7 741 42	-	-	-	-	-	7 702 55	-
TV star socket - Att ≤ 1,5 dB		7 744 29 7 743 29	-	-	-	-	-	-	7 702 56
TV terminal socket - Att ≤ 10 dB		7 744 30 7 743 30	-	-	-	-	-	-	7 702 56
TV throughwiring - Att ≤ 14 dB		7 744 31 7 743 31	-	-	-	-	-	-	7 702 56

Valena™

plate selection charts

PLATES	Horizontal			Vertical		Horizontal and vertical[1]	
	1 gang	2 gang	3 gang	2 gang	3 gang	4 gang	5 gang
Ivory	7 743 51	7 743 52	7 743 53	7 743 56	7 743 57	7 743 54	7 743 55
Ivory Gold	7 741 51	7 741 52	7 741 53	7 741 56	7 741 57	7 741 54	7 741 55
Matt Gold N	7 703 01	7 703 02	7 703 03	7 703 06	7 703 07	7 703 04	7 703 05
Tanned Wood N	7 703 11	7 703 12	7 703 13	7 703 16	7 703 17	7 703 14	7 703 15
Baroque Matt Gold N	7 700 20	-	-	-	-	-	-
White	7 744 51	7 744 52	7 744 53	7 744 56	7 744 57	7 744 54	7 744 55
White / Crystal	7 744 61	7 744 62	7 744 63	7 744 66	7 744 67	7 744 64	7 744 65
White / Silver	7 704 91	7 704 92	7 704 93	7 704 96	7 704 97	7 704 94	7 704 95
Light Pearl N	7 704 71	7 704 72	7 704 73	7 704 76	7 704 77	7 704 74	7 704 75
"Pied de Poule" N	7 704 20	-	-	-	-	-	-
Aluminium	7 701 51	7 701 52	7 701 53	7 701 56	7 701 57	7 701 54	7 701 55
Aluminium Silver	7 703 51	7 703 52	7 703 53	7 703 56	7 703 57	7 703 54	7 703 55
Dark Wood Silver	7 703 71	7 703 72	7 703 73	7 703 76	7 703 77	7 703 74	7 703 75
Black Silver	7 703 91	7 703 92	7 703 93	7 703 96	7 703 97	7 703 94	7 703 95
Brushed Alu N	7 703 31	7 703 32	7 703 33	7 703 36	7 703 37	7 703 34	7 703 35
Cubist Alu N	7 703 41	7 703 42	7 703 43	7 703 46	7 703 47	7 703 44	7 703 45

1: Can be transformed into vertical or horizontal plate by rotation of internal trim

RETROUVEZ-NOUS AUSSI SUR

www.legrand.com

twitter.com/legrand_news

www.youtube.com/user/legrand

www.facebook.com/Legrand

EXB14006

QR Code

LEGRAND SNC
snc au capital de 6 200 000 €
RCS Limoges 389 290 586

Siège social
et Direction Export
128, av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex - France
☎ : + 33 5 55 06 87 87
Fax: + 33 5 55 06 74 55
e-mail: direction-export.limoges@legrand.fr